

# TIE ROD ENDS & DRAG LINKS — LISTED BY SIZE

Length Dim. "A"	Threads Dim. "B"	Rod Type Male/Female	Config	Stud Diameter			Stud Thread Dim. "F"	Part Number
				Dim. "C"	Dim. "D"	Dim. "E"		
8.55	M14-1.5I	FEMALE	BENT	.504			M10-1.25	ES3153
8.55	M14-1.5I	FEMALE	BENT	.504			M10-1.25	ES3154
8.58	M14-1.5R		BENT	.506				ES2009R
8.61	M14-1.5RI	FEMALE	BENT	.537	.594		M12-1.25	ES2134R
8.66	.687-18R	MALE	STR	.593	.676	0.664	9/16-18	ES2000RL
8.66	.687-18L		BENT	.516				ES2001L
8.66	.687-18R	MALE	STR	.480	.593	0.904	7/16-20	ES2002L
8.66	.625-18R		STR	.516				ES2249RL
8.66	.687-18L	MALE	STR	.516	.591	0.6	7/16-20	ES333RL
8.66	.687-18R	MALE	STR	.516	.591	0.6	7/16-20	ES406L
8.66	.687-18L	MALE	STR	.666	.748	0.656	5/8-18	ES406R
8.66	.625-18R	MALE	STR	.516	.626	0.864	7/16-20	ES409L
8.66	.687-18L		BENT	.558				ES631
8.66	.625-18L	MALE	STR	.516	.626	0.88	7/16-20	ES668
8.67	.687-18I	SLEEVE						ES681N
8.69	.687-18R		BENT	.499				ES355S
8.74	M14-1.0RI	FEMALE	STR	.4764				ES2105RL
8.74	M12.1.25R	MALE	STR					ES473R
8.761	M12-1.25R	MALE						EV155
8.79	.687-18R		STR	.452				EV163
8.79	.687-18R	MALE	BENT	.452	.623	1.368	7/16-20	ES2015RL
8.79	.687-18L	MALE	BENT	.516	.626	0.88	7/16-20	ES2019RL
8.79	.687-18L		BENT	.556				ES2020RL
8.79	.687-18L	MALE	BENT	.499	.626	1.016	1/2-20	ES2047RL
8.79	.687-18R	MALE	STR	.452	.623	1.368	7/16-20	ES403L
8.8	.687-18R		STR	.5207				ES427R
8.8	M14-1.5	MALE						ES403R
8.85	M14-1.5	FEMALE	STR	.505	.552	0.376	M12-1.25	EV233
8.85	M14-1.5R	MALE	STR					ES2909
8.85	M14-1.5	MALE						EV179
8.857	M18-1.5R		BENT	.519				EV193
9.0	.625-18R		BENT	.5065				ES2998
9.1	M14-1.5R	MALE	STR					ES644
9.11	.687-18L		BENT	.516			M14-1.50	EV307
9.11	.687-18L		BENT	.516				ES442L
9.12	.625-18R		STR	.516				ES443L
9.12	.687-18R		STR	.516				ES388RL
9.17	M14-1.5RI	FEMALE	BENT	.486				ES407RL
9.18	1.125-12L	MALE		.967				ES2198R
9.18	1.125-12R	MALE		.967				ES411L
9.2	M14-1.5	MALE						ES411R
9.2	M14-1.5	MALE						EV244
9.22	M12-1.25R	MALE	STR					EV245
9.25	M14-1.5R	MALE				7.63		EV238
9.32	M14-1.5R	MALE	STR					EV187
9.327	M16-1.5L		BENT	.495			M17-1.00	EV300
9.44	M14-1.5I	SLEEVE						ES2738
9.48	M14-1.5	MALE	STR					ES2098S
9.6	.875-18L	MALE	STR	.675	.776	0.808	5/8-18	EV241
9.65	M18-1.5R		BENT	.537				ES2233L
9.68	M12-1.25R	MALE	STR					ES2085R
9.69	.687-18L	MALE	BENT	.556	.626	0.664	1/2-20	EV156
9.69	M14-1.5	MALE				7.89		ES402RL
								EV199

# TIE ROD ENDS & DRAG LINKS — LISTED BY SIZE

Length Dim. "A"	Threads Dim. "B"	Rod Type Male/Female	Config	Stud Diameter			Stud Thread Dim. "F"	Part Number
				Dim. "C"	Dim. "D"	Dim. "E"		
9.7	M14-1.5R	MALE	STR					EV152
9.71	M14-1.5	MALE	STR				7.87	EV198
9.732	M14-1.5R	MALE	STR					EV177
9.78	M14-1.5RI	FEMALE	STR					EV186
9.79	.75-16RI	FEMALE	STR	.675				DS840
9.88	.687-18L		BENT	.556				ES716
9.88	.687-18L		BENT	.556				ES717
9.92	M14-1.5R		BENT	.4724				ES470R
9.92	M14-1.0R		BENT	.4724				ES471R
9.94	M14-1.5R	MALE					8.44	EV192
10.03	.687-18R		BENT	.506				ES359R
10.039	M14-1.5RI	FEMALE	STR	.506				ES2160R
10.1	M14-1.5	MALE						EV207
10.101	M10-1.0R		BENT	.496				ES2741
10.11	M14-1.5LI	FEMALE	BENT	.486				ES2278R
10.21	M14-1.5	MALE	STR					EV281
10.22	.687-18L		BENT	.556				ES382L
10.31	M14-1.5R	MALE						EV191
10.394	M16-1.5L		BENT	.495				ES2742
10.457	M14-1.5RI	FEMALE	STR	.492				ES2377
10.51	M12-1.25	MALE	STR				9.35	EV268
10.53	NONE		STR	2/.921				DS833
10.56	.625-18R		STR	.516				ES597
10.56	.625-18R		STR	.516				ES676
10.56	.625-18I	SLEEVE						ES677S
10.6	.687-18L		BENT	.506				ES363RL
10.6	.687-18L		BENT	.506				ES364RL
10.6	.687-18L		BENT	.534				ES387L
10.6	.687-18L		BENT	.554				ES436RL
10.6	.687-18L		BENT	.556				ES731
10.63	M12-1.25R	MALE	STR				M14-1.50	EV284
10.65	M14-2.0R	MALE/FEMALE	STR				M14-1.50	EV293
10.7	M14-1.5R	MALE	STR					EV184
10.7	M14-1.5	MALE						EV214
10.7	M12-1.25	MALE						EV224
10.7	M12-1.25	MALE						EV225
10.7	M12-1.25	MALE						EV131
10.71	M14-1.5R	MALE	STR					EV170
10.71	M14-1.5R	MALE	STR				9.0	EV124
10.75	M14-1.5	MALE						EV125
10.75	M12-1.25	MALE						ES723
10.78	.687-18L		BENT	.556				ES3026L
10.8	1.375-12L	MALE	BENT				3/4-16	ES3027R
10.8	1.375-12R	MALE	BENT				3/4-16	EV255
10.81	M14-1.5R	MALE	STR				M16-1.00	EV130
10.84	M14-2.0R	MALE	STR					ES675
10.88	.625-18R		BENT	.516				EV298
10.88	M14-2.0R	MALE	STR				M14-1.50	EV189
10.9	M14-1.5R	MALE		M14-1.5				DS769
10.91	.687-18L		BENT	.534				DS791
10.91	.687-18L		BENT	.534				ES467R
10.96	M14-1.25R		STR	.4921				EV129
10.98	M14-2.0R		STR					EV171
10.981	M14-1.5R	MALE	STR					EV102
11.04	.562-18R	MALE	STR					

**SPECIFICATIONS**

# TIE ROD ENDS & DRAG LINKS — LISTED BY SIZE

Length Dim. "A"	Threads Dim. "B"	Rod Type Male/Female	Config	Stud Diameter			Stud Thread Dim. "F"	Part Number
				Dim. "C"	Dim. "D"	Dim. "E"		
11.06	.562-18R	MALE	STR			9.75		EV112
11.09	M12-1.25	MALE						EV194
11.1	FLANGE		BENT	.612				DS912
11.1	M14-1.5	MALE						EV246
11.11	M12-1.25R	MALE	STR				M16-1.50	EV288
11.137	M14-1.5	MALE	STR					EV173
11.15	M12-1.25	MALE	STR			9.6		EV204
11.16	M12-1.25R	MALE	STR			9.61		EV169
11.16	M14-1.5R	MALE	STR			9.61		EV285
11.22	M12-1.25R	MALE	STR			9.61		EV181
11.24	M12-1.25R	MALE	STR			10.08		EV269
11.25	.750-18L		BENT	.556				DS763
11.27	.625-18R		BENT	.489				DS757
11.275	M14-2R	MALE	STR					EV175
11.28	M12-1.25	MALE	STR					EV284
11.34	.687-18L	MALE	STR	.536	.626	0.72	1/2-20	ES2021RL
11.34	M14-1.5	MALE	STR					EV247
11.41	M12-1.25R	MALE	STR					EV183
11.415	M14-2R	MALE	STR					EV174
11.42	M12-1.25R	MALE	STR					EV157
11.46	M14-1.5R	MALE						EV190
11.49	M12-1.25	MALE				9.9		EV196
11.55	.562-18R	MALE	STR			10.25		EV103
11.55	.562-18R	MALE	STR			10.25		EV117
11.66	.687-18L		BENT	.556				DS783
11.66	.687-18L		BENT	.556				DS784
11.68	M14-1.5R	MALE	STR			10.09		EV209
11.68	M14-1.5	MALE	STR			10.09		EV216
11.71	M12-1.25R	MALE	STR					EV159
11.733	M14-1.5R	MALE	STR					EV161
11.748	M14-1.5LJ	FEMALE	BENT	.482				ES2199R
11.76	M14-1.5R	MALE	STR			10.48		EV166
11.77	M14-1.5R	MALE	STR					EV132
11.8	M14-1.5R	MALE	STR			10.2		EV222
11.81	M14-1.5	MALE	STR					EV185
11.85		ASSEMB.	STR	2/524				ES2343A
11.85		ASSEMB.	STR	2/523				ES2344A
11.85	M14-1.5	MALE				10.2		EV208
11.87	.687-18L		BENT	.556				ES725
11.87	M14-2.0	MALE						EV274
11.91	M14-1.5R	MALE	STR				M16-1.00	EV256
11.94	M12-1.25R	MALE	STR				M12-1.25	EV310
11.96	M14-1.5R	MALE	STR					EV123
11.97	M14-1.5	MALE						EV200
12.01	M14-1.5R	MALE	STR					EV128
12.02	M12-1.25R	MALE	STR					EV182
12.03	M14-1.5R	MALE	STR					EV228
12.06	M12-1.25R	MALE	STR			11.27		EV118
12.06	M12-1.25R	MALE	STR					EV120
12.06	M12-1.25R	MALE				10.75		EV264
12.10	M14-1.5R	MALE	STR				M17-1.00	EV290
12.12	M14-1.5R	MALE	STR				M14-1.50	EV257
12.13	.687-18L		BENT	.516				DS781
12.13	.687-18L		BENT	.516				DS782

# TIE ROD ENDS & DRAG LINKS — LISTED BY SIZE

Length Dim. "A"	Threads Dim. "B"	Rod Type Male/Female	Confg	Stud Diameter			Stud Thread Dim. "F"	Part Number
				Dim. "C"	Dim. "D"	Dim. "E"		
12.15	M14-1.5R	MALE	STR					EV126
12.15	M14-1.5R	MALE	STR				M14-1.50	EV304
12.15	M12-1.25	MALE	STR					EV180
12.15	M15-1.5R	MALE	STR			10.83		EV252
12.18	M14-1.5R	MALE	STR			10.87		EV115
12.2		ASSEMB.	STR	2/446				ES2330A
12.2		ASSEMB.	STR	2/446				ES2331A
12.2		ASSEMB.	BENT	2/524				ES2453A
12.2	M14-1.5R	MALE	STR			10.69		EV116
12.22	M14-1.5	MALE				10.65		EV223
12.24	M14-2.0R	MALE	STR				M16-1.50	EV292
12.3	M14-1.5	MALE						EV278
12.34	.75-20R	MALE	BENT	.613				DS813
12.39	M12-1.25R		STR			10.8		EV215
12.4	NONE		BENT	2/1.080			2 7/8-14	DS1181
12.4	M12-1.25R	MALE	STR					EV178
12.43	M14-1.5	MALE				10.82		EV197
12.43	M14-1.5	MALE				10.83		EV206
12.55	M12-1.25R	MALE	STR			11.1		EV188
12.55	M12-1.25R	MALE	STR			11.0		EV202
12.56	M12-1.25R	MALE	STR			11.0		EV203
12.69	1.875-12L	MALE	BENT				7/8-14	ES3031L
12.69	1.875-12R	MALE	BENT				7/8-14	ES3030R
12.72	NONE		BENT	2/523				ES2339A
12.72	NONE		BENT	2/523				ES2340A
12.76	M14-1.5R	MALE	STR				M18-1.50	EV260
12.77	M14-1.5R	MALE	STR			11.27		EV229
12.79	M12-1.25R	MALE	STR			11.0		EV254
12.85	M14-1.5	MALE						EV261
12.86	M14-1.5R	MALE	STR				M18-1.50	EV295
12.9	M14-1.5	MALE	STR			11.6		EV240
13.0	NONE		BENT	2/1.080				DS1136
13.05	M12-1.25R	MALE	STR				M16-1.50	EV297
13.05	M14-1.5	MALE				11.61		EV239
13.06	M14-1.5	MALE	STR			11.46		EV236
13.14	M12-1.25R	MALE	STR			11.83		EV265
13.15	.687-18L		STR	.556				DS792
13.15	.687-18L		BENT	.556				ES732
13.18	M14-1.5R	MALE	STR				M14-1.50	EV303
13.21	M14-1.5R	MALE	STR			11.8		EV154
13.24	M14-1.5	MALE	STR			12.61		EV272
13.25	1.437-12L	MALE	BENT				3/4-16	ES3039L
13.25	1.437-12R	MALE	BENT				3/4-16	ES3040R
13.27	M14-1.5R	MALE	STR			11.97		EV127
13.34	M12-1.25R	MALE	STR			11.79		EV266
13.34	M12-1.25R	MALE	STR			11.79		EV276
13.42	NONE		STR	2/754				DS842
13.46	M14-1.5	MALE						EV195
13.5	NONE		BENT	2/389				DS861
13.5	NONE		BENT	2/436				DS877
13.53	M14-1.5	MALE				12.22		EV201
13.54	.687-18L		BENT	.556				ES671
13.56	NONE		BENT	2/612				DS913
13.6	M13-1.25R	MALE	STR			11.2		EV279

**SPECIFICATIONS**

# TIE ROD ENDS & DRAG LINKS — LISTED BY SIZE

Length Dim. "A"	Threads Dim. "B"	Rod Type Male/Female	Config	Stud Diameter			Stud Thread Dim. "F"	Part Number
				Dim. "C"	Dim. "D"	Dim. "E"		
13.63	M14-1.5R	MALE	STR				M14-1.50	EV302
13.71	NONE		BENT90	1.080/1.085				DS965
13.75	.687-18L		BENT	.554				DS820
13.78	NONE		BENT	2/640				DS653
13.86	M15-1.5R	MALE	STR				M14-1.50	EV301
13.89	NONE		STR	2/531				DS1005
13.89	NONE		BENT	.609/.675				DS752
13.89	NONE		BENT	.615/.560				DS778
13.89	NONE		STR	2/524				ES2452A
13.9	M20-1.5R	MALE	BENT	.613				DS1042
13.97	.687-18R		BENT	.554				DS802
13.98	M14-1.5	MALE	STR			12.51		EV270
14.0	NONE		BENT	2/762				DS968
14.08	NONE		BENT	2/967				DS972
14.08	M14-1.5	MALE	STR			12.18		EV286
14.13	NONE		BENT	2/762				DS969
14.16	M20-1.5R	MALE	BENT	.613				DS1141
14.16	.750-18L	MALE	BENT	.612				DS786
14.16	.750-18L	MALE	BENT	.612				DS787
14.16	NONE		BENT90	2/967				DS961
14.18	NONE		BENT	2/640				DS798
14.21	NONE		BENT	2/1,080			2/8-14	DS1179
14.21	NONE	NONE	BENT				7/8-14	DS1185
14.29	.875-18L	MALE	BENT	.664				DS864
14.29	.875-18L	MALE	BENT	.664				DS878
14.35	NONE		BENT90	2/967				DS966
14.35	NONE		BENT90	2/967				DS967
14.36	NONE		BENT	2/570				DS658
14.38	.625-18R		BENT	.554				ES727
14.38	M14-1.5	MALE				12.81		EV271
14.41	M20-1.5R	MALE	BENT	.613				DS1040
14.44	NONE		BENT	2/762				DS977
14.45	NONE		BENT	2/967				DS974
14.45	NONE		BENT	2/967				DS976
14.5	SOCKET		BENT	.612				DS684
14.5	.687-18R		BENT	.554				DS775
14.52	M22-1.5R	MALE	BENT	.613			M14-1.5	DS1226
14.72	.875-18L	MALE	BENT	.664				DS1010
14.72	.875-18L	MALE	BENT	.664				DS1011
14.75	NONE		BENT	2/762				DS970
14.8	M20-1.5R	MALE	BENT	.613				DS1177
14.8	NONE		BENT	2/967				DS971
14.87	NONE		BENT90	2/967				DS964
15.0	M14-1.5	MALE						EV219
15.03	NONE	NONE	BENT		2/551		2/16-20	DS876
15.039	NONE	NONE	BENT		2/551		2/16-20	DS863
15.06	NONE		BENT	2/762				DS705
15.07	NONE		BENT90	2/967				DS960
15.12	NONE		BENT	2/640				DS704
15.18	M20-1.5R		BENT	.6130				DS1159
15.2	.875-18R	MALE	BENT	.613				DS844
15.27	NONE		BENT90	2/967				DS963
15.28	NONE		BENT	2/967				DS973
15.29	NONE		BENT90	2/967				DS962

# TIE ROD ENDS & DRAG LINKS — LISTED BY SIZE

**SPECIFICATIONS**

Length Dim. "A"	Threads Dim. "B"	Rod Type Male/Female	Config	Stud Diameter			Stud Thread Dim. "F"	Part Number
				Dim. "C"	Dim. "D"	Dim. "E"		
15.32	NONE		BENT	2/.612				DS659
15.37	NONE		BENT	2/967				DS873
15.5	NONE		STR	2/.668				DS564
15.66	NONE		BENT	2/.967				DS978
15.8	NONE		STR	2/967				DS984
15.82	M16-1.5I	SLEEVE						DS1012S
15.85	NONE		BENT	.783/.967				DS945
15.92	NONE	ADJ	BENT					ES2766A
16.12	SLEEVE	ADJUSTAB	STR	1.117			7/8-14	DS1033
16.14	NONE	ADJ	BENT					ES2765A
16.16	NONE		BENT	2/.783				DS803
16.2	M22-1.5R	MALE	BENT	.594				DS1072
16.25	NONE		BENT	2/.780				DS733
16.26	M22-1.5R	MALE	BENT	.615				DS1002
16.27	NONE	ADJUSTAB	BENT	2/1.080				DS1020
16.36	NONE		BENT	2/.612				DS801
16.49	NONE		BENT	1.080/.967				DS952
16.59	.75-18R		BENT	.554				ES642
16.64	NONE		BENT	2/.783				DS800
16.64	NONE		STR	2/.754				DS836
16.75	NONE		STR	2/.669				DS835
16.75	NONE		STR	2/.668				DS929
16.84	NONE		BENT	2/.762				DS1034
16.84	.875-18R	MALE	BENT	.594				DS888
16.89	NONE		STR	2/.896				DS1044
16.90	M14-1.5R		BENT					ES2370
17.0	NONE		STR	2/.783				DS1064
17.0	NONE		STR	2/.783				DS907
17.01	.875-18R	MALE	STR	.613				DS839
17.02	NONE		BENT	2/967				DS872
17.03	NONE		STR	2/.664				DS869
17.08	NONE		BENT	2/.612				DS916
17.2	M20-1.5R	MALE	BENT	.613				DS927
17.2	NONE		BENT	2/.967				DS982
17.31	.875-18L	MALE	BENT	.612				DS736
17.31	.875-18L	MALE	BENT	.612				DS793
17.31	.875-18L	MALE	BENT	.612				DS794
17.31	.875-18L	MALE	BENT	.594				DS806
17.44	M20-1.5R	MALE	BENT	.613				DS1017
17.44	.687-18R		BENT	.554				ES615
17.44	.687-18R		BENT	.554				ES616
17.47	NONE	NONE	BENT	2/.762	2/.874		2 $\frac{1}{8}$ -14	DS1215
17.47	NONE		BENT	2/.967				DS985
17.48	NONE	NONE	STR	2/1.038			2 $\frac{1}{8}$ -14	DS1217
17.68	NONE	NONE	BENT	2/.967			2 $\frac{1}{8}$ -14	DS1214
17.7	NONE		BENT	2/.896				DS910
17.7	NONE		BENT	2/.896				DS914
17.7	NONE		BENT/90	.896/.762				DS937
17.7	NONE		BENT/90	2/.896				DS941
17.76	1.000-18L		BENT	.609				DS741
17.80	M22-1.5R	MALE	BENT	.613	.703		M14-1.50	DS1289
17.82	NONE		BENT/90	2/.896				DS938
17.82	NONE		BENT/90	2/.896				DS939
17.88	SLEEVE	ADJUSTAB	STR	1.080/1.085				DS1028

# TIE ROD ENDS & DRAG LINKS — LISTED BY SIZE

Length Dim. "A"	Threads Dim. "B"	Rod Type Male/Female	Config	Stud Diameter			Stud Thread Dim. "F"	Part Number
				Dim. "C"	Dim. "D"	Dim. "E"		
17.9	NONE		STR	2/896				DS988
17.91	M14-1.5I	SLEEVE						ES2370S
17.93	NONE	NONE	BENT	2/967	2/1.102		2 7/8-14	DS986
17.96	NONE		BENT	2/967				DS875
17.96	NONE		STR	2/967				DS887
17.98	M14-1.5RI		STR	12.85				ES2239R
18.0	NONE		STR/90	2/762				DS936
18.03	NONE		BENT	.967/1.080				DS908
18.14	NONE		BENT	2/967				DS979
18.2	NONE		BENT	2/967				DS934
18.2	NONE		STR	2/896				DS991
18.23	.875-18R	MALE	BENT	.612				DS918
18.24	NONE		2/491HO	2/485				DS1047
18.36	NONE		BENT	2/664				DS879
18.45	NONE		BENT	2/664				DS866
18.48	SLEEVE		BRACKET	2/492				DS1013
18.5	NONE		STR	2/896				DS990
18.57	NONE		STR	.582				DS1066
18.649	SLEEVE		2/485HO	2/469				DS1007
18.66	NONE	NONE	STR	2/496			M10-1.00	DS1244
18.68	NONE		BENT	2/967				DS871
18.74	NONE		BENT45	.967/1.080				DS954
18.76	M22-1.5R	MALE	BENT	.613	.703		M14-1.50	DS1288
18.775	SLEEVE		BRACKET	2/494				DS1016
18.83	NONE	NONE	BENT	2/967			2 7/8-14	DS1220
18.89	NONE		BENT	.783/967				DS946
18.94	1.00-18L		STR	.609				DS751
19.17	NONE	NONE	STR	2/425			M10-1.00	DS1245
19.213	SLEEVE		2/483HO	2/469				DS1006
19.23	NONE		BENT/90	.967/1.080	1.1/1.25		7/8-14	DS1204
19.23	NONE		BENT	.967/1.080				DS949
19.25	NONE		BENT	2/783				DS948
19.28	NONE		BENT	2/967				DS870
19.39	NONE		BENT	2/783				DS845
19.44	NONE		BENT90	.967/1.080				DS959
19.48	NONE		BENT45	2/780				DS950
19.5	.875-18L	MALE	BENT	.56				DS777
19.5	NONE		BENT	2/967				DS874
19.6	.875-18R	MALE	BENT	.612				DS825
19.685	SLEEVE		BENT	.499	.551			DS1008
19.749	SLEEVE		BOLT	2/495				DS1014
19.83	SLEEVE		BENT	.425/404H				ES2749
19.88	NONE		BENT	1.080/967				DS958
19.89	DRAG LINK	SOCKET	STR					ES3139
19.89			2/PLUG					DS1152
19.90	M12-1.5R		STR	12.85				ES2243R
20.103	SLEEVE		BRACKET	2/494				DS1015
20.39	M14-1.5R		STR	.524				DS846
20.44	NONE		BENT	.967/1.080				DS942
20.46	NONE		STR	2/669				DS900
20.56	1.25-12LI	FEMALE	BENT	1.080				DS821
20.65	NONE	NONE	STR	2/915			2 3/4-16	DS1216
20.7	NONE		2/488HO	2/495				DS858
20.85	SLEEVE		STR	2/1.080				DS998

# TIE ROD ENDS & DRAG LINKS — LISTED BY SIZE

**SPECIFICATIONS**

Length Dim. "A"	Threads Dim. "B"	Rod Type Male/Female	Config	Stud Diameter			Stud Thread Dim. "F"	Part Number
				Dim. "C"	Dim. "D"	Dim. "E"		
21.18	NONE		2/16.00HO	.446/629				DS847
21.25	NONE		2/14.85HO	.523/584				DS848
21.25	SLEEVE		2/484HO	.488/495				ES2743
21.36	NONE		2/491HO	.486				DS889
21.5	1.25-12R&L		SLEEVE	2/1.080				DS997
21.51	M14-1.5L		BENT	2/428				DS859
21.51	M14-1.5L		BENT	2/424				DS860
21.65	NONE		STR	2/1.080			2 1/8-14	DS1183
21.82	NONE		STR	2/640				DS797
21.85	NONE		2/491HO	2/485				DS909
22.04	NONE		2/14.85HO	.523/584				DS849
22.11	.875-18R	MALE	STR	.675				DS897
22.14	NONE		2/491HO	2/490				DS816
22.17	.875-18R	MALE	BENT	.613				DS919
22.26	NONE		STR	2/482				DS857
22.35	NONE		STR 90	2/575			M14-1.50	DS1063
22.439	NONE		2/518HO	.523/537				DS1009
22.47	NONE		BENT	2/612				DS685
22.559	NONE		.457/.45	.486/476	.545	0.56	M10-1.50	ES2425
22.598	SLEEVE		2/554HO	2/495				ES2744
22.68	NONE		STR 90	2/575			M14-1.50	DS1062
22.71	M14-1.5R	MALE	2/HO	.531			M12-1.25	DS1117
22.71	M14-1.5R	MALE	2/HO	.531			M12-1.25	DS1118
22.78	NONE		BENT	.502	.557	0.44	M12-1.50	ES2414
23.15	NONE		2/490HO	2/485				DS1049
23.23	NONE		2/491HO	2/486				DS682
23.23	NONE		2/780HO	2/585				DS740
23.23	NONE		2/491HO	2/492				DS754
23.26	.75-20R		2/528	PIN				DS885
23.44	SLEEVE		BENT	1.080/1.117				DS999
23.48	SLEEVE	ADJ	BENT	.497/476HO				ES2754A
23.48	SLEEVE	ADJ	BENT	.497/474HO				ES2755A
23.5	NONE		2/531HO	.486/575				DS814
23.6	SLEEVE	ADJ		.497/474HO				ES2760A
23.6	SLEEVE	ADJ		.497/497HO				ES2761A
23.7	SLEEVE	N/A	STR	.393HO	.551	1.22	M12-1.50	EV158
23.78	NONE		BENT	2/662				DS881
23.94	.687-18L	MALE	STR	.543				DS911
23.96	NONE		2/491HO	2/485				DS749
24.1	NONE		.492/49	.488/582				DS1116
24.1	NONE		3/531HO	2/585				DS1148
24.1	NONE		2/491HO	.485/585				DS899
24.11	.875-18R	MALE	STR	.675				DS896
24.26	NONE		2/491	2/572				DS882
24.26	NONE		2/491HO	2/572				DS883
24.32	NONE		2/490HO	2/572				DS829
24.32	NONE		2/492HO	2/575				DS931
24.37	NONE		2/531HO	2/572				DS828
24.37	NONE		2/490HO	2/572				DS830
24.45	NONE		2/491HO	.485/575				DS808
24.75	SLEEVE		BENT	.412/40				ES2750
24.8	NONE		BENT	2/664				DS930
25.0	1.00-16L	MALE	.526/HO	.783	.899		3/4-16	DS1074
25.13	SLEEVE	ADJUSTAB	STR	2/1.080				DS992



# TIE ROD ENDS & DRAG LINKS — LISTED BY SIZE

Length Dim. "A"	Threads Dim. "B"	Rod Type Male/Female	Config	Stud Diameter			Stud Thread Dim. "F"	Part Number
				Dim. "C"	Dim. "D"	Dim. "E"		
25.19	NONE		2/526HO	PIN/.526HO			DS832	
25.2	NONE		2/511HO	.568/.571BUSH			DS770	
25.36	.75-20R		2/528	PIN			DS886	
25.42	NONE		STR	2/477			ES709	
25.48	NONE		2/480HO	PIN/.537HO			DS772	
25.58	NONE		BENT	2/967			DS865	
25.82	NONE		BENT	2/664			DS867	
25.82	NONE		BENT	2/664			DS868	
26.05	NONE		BENT	2/762			DS880	
26.08	NONE		2/531HO	2/585			DS745	
26.13	NONE		2/531HO	2/585			DS815	
26.45	NONE		BENT	2/640			DS702	
26.72	NONE		2/531HO	2/554			DS734	
26.72	NONE		2/53	2/585			DS735	
26.75	SLEEVE	ADJUSTAB	STR	2/1.080			DS996	
26.763	.508HO			.501/BUSH			DS920	
26.92	M22-1.5L	MALE	.590HO	.612			DS1041	
26.93	NONE		2/531HO	2/574			DS780	
26.93	M14-1.2R		STR	M14-1.5			ES2313	
27.02	NONE		2/531HO	.575/.485			DS809	
27.13	NONE		.633/.562 STU	2/61 HOLES			DS1167	
27.23	NONE		2/526HO	PIN/.526HO			DS831	
27.28	NONE		2/527HO	PIN/.527HO			DS818	
27.28	NONE		2/526HO	PIN/.526HO			DS822	
27.28	NONE		2/526HO	PIN/.526HO			DS901	
27.28	NONE		2/551HO	PIN/.551HO			DS903	
27.31	SLEEVE	ADJUSTAB	STR	2/1.080			DS995	
27.34	1.00-18L	MALE LH.O	BENT	.613		M14-1.50	DS1225	
27.38	NONE		2/530HO	PIN/.537HO			DS744	
27.5	M22-1.5L	MALE		.613			DS1039	
27.57	NONE		2/531HO	2/585			DS738	
27.58	M22-1.5L	MALE	8:1TAPER	.613			DS1176	
27.73	NONE		2/527HO	PIN/.526HO			DS790	
27.9	NONE		STR	2/662			DS887	
28.05	M22-1.5L	MALE	1/.590HO	.612			DS1161	
28.23	NONE		2/531HO	2/585			DS771	
28.23	NONE		2/531HO	2/585			DS785	
28.34	NONE		2/860HO	.568/PIN			DS779	
28.34	NONE		2/526HO	PIN/.550			DS827	
28.35	NONE		2/526HO	PIN/.526HO			DS823	
28.35	NONE		2/551HO	PIN/.551HO			DS904	
28.38	NONE		BENT	.613/.675			DS812	
28.38	NONE		2/526HO	PIN/.526HO			DS819	
28.38	NONE		2/488HO				DS855	
28.38	NONE		2/526HO	PIN/.526HO			DS898	
28.38	NONE		2/526HO	PIN/.551HO			DS902	
28.38	NONE		2/526HO	PIN/.551HO			DS906	
28.4	NONE		2/491HO	2/574			DS756	
28.5	NONE		BENT	2/570			DS726	
28.867	NONE		.516/.52	.522/.525			DS1079	
28.87	NONE	NONE	STR	2/967		2 7/8-14	DS1218	
28.91	.687-18L		STR	.543			DS890	
29.1	SLEEVE		STR	2/628			DS1000	
29.13	NONE		BENT	2/1.080		2 7/8-14	DS1182	

# TIE ROD ENDS & DRAG LINKS — LISTED BY SIZE

Length Dim. "A"	Threads Dim. "B"	Rod Type Male/Female	Config	Stud Diameter			Stud Thread Dim. "F"	Part Number
				Dim. "C"	Dim. "D"	Dim. "E"		
29.33	NONE		.633/.562STUD	2/61 HOLES			DS1165	
29.33	NONE		.633/.562STUD	2/61 HOLES			DS1166	
29.33	NONE		BEN .633/.562	2/61 HOLES			DS1168	
29.35	M14-1.5RI	FEMALE	BENT	.485			ES492R	
29.38	NONE	NONE	BENT	2/967			DS1219	
29.39	.687-18R		STR	.544			DS891	
29.56	SLEEVE	ADJUSTAB	BENT	2/1.080			DS993	
29.66	NONE		2/596	.628/.537HO			DS788	
29.66	NONE		2/638	.628/.537HO			DS817	
29.83	1.00-18L		BENT	.615			DS1068	
29.96	NONE		BENT/HO	.576/.499			DS1059	
30.11	NONE		BENT	.576/.499			DS1057	
30.15	NONE		BENT/HO	.576/.499			DS1060	
30.25	NONE		2/491HO	2/585			DS748	
30.47	NONE		2/519HO	2/521		M12-1.25	DS1061	
30.5	NONE		2/519HO	2/531			DS1172	
30.56	SLEEVE	ADJUSTAB	STR	2/1.080			DS994	
30.8	NONE		BENT	.609/.675			DS750	
30.8	NONE		BENT	.560/.61			DS776	
30.9	M12-1.25R		STR				EV160	
31.0	NONE		STR	2/962			DS989	
31.05	M20-1.5R			.543			DS1046	
31.22	BUSHING	TRACK BAR	BENT			1/2-20	DS1235	
31.24	NONE		BENT	.413			DS1147	
31.69	NONE		BENT	2/1.080		2 1/8-14	DS1180	
31.93	NONE		BENT	2/780			DS944	
32.22	NONE	NONE	BENT	2/748	2/874	2 1/8-18	DS983	
32.32	NONE		STR	2/754			DS981	
32.34	.687-18R		STR	.544			DS892	
32.59	NONE		2/659HO	2/633			DS1173	
32.6	NONE		2/596HO	2/633			DS804	
32.6	NONE		2/519HO	2/633			DS805	
32.61	NONE	NONE	BENT	2/967		2 1/8-14	DS1221	
32.62	NONE	NONE	BENT	1.080/.967		2 1/8-14	DS1207	
32.82	NONE		BENT	.628/.596HO			DS789	
32.94	1.25-16RI	FEMALE	BENT	.613	.720	1.78	M14-1.50	DS1158
33.14	1.00-18L	MALE	1/.590HO	.612			DS1073	
33.59	M22-1.5R		BENT	.615			DS1069	
33.77	M22-1.5L		BENT	.613			DS1018	
33.77	M22-1.5L		BENT	.613			DS928	
33.8	M22-1.5L		STR	.613			DS1138	
33.92	M22-1.5L		.592HO	.615			DS1001	
34.06	M22-1.5R	MALE	BENT			1/2-20	DS1238	
34.4	NONE		BENT	.675/.613			DS811	
34.6	.687-18	FEMALE	SLEEVE				DS1239S	
35.0	NONE	NONE	STR	1.080/.967		2 1/8-14	DS1205	
35.0	NONE		STR	.967/1.080			DS957	
35.37	NONE		BENT90	2/1.080			DS956	
35.61	NONE		BENT90	2/967			DS955	
36.31	NONE	NONE	STR	1.080/.967		2 1/8-14	DS1206	
36.31	NONE		BENT	.967/1.080			DS943	
36.63	NONE		BENT	1.080/.967			DS953	
36.97	1.000-18L	MALE	BENT.59H	.615			DS1175	
37.52	.875-18L	MALE	.590HO	.615			DS1174	

SPECIFICATIONS

# TIE ROD ENDS & DRAG LINKS — LISTED BY SIZE

Length Dim. "A"	Threads Dim. "B"	Rod Type Male/Female	Config	Stud Diameter			Stud Thread Dim. "F"	Part Number
				Dim. "C"	Dim. "D"	Dim. "E"		
40.1	NONE		.590HO	2/609				
40.19	NONE		BENT	2/613				DS742
40.47	NONE		BENT	.613				DS737
40.48	NONE		.590HO	2/613				DS795
40.48	NONE		BENT	.594/613				DS796
41.27	NONE		STR	2/609				DS807
41.29	SLEEVE	ADJUSTAB		1.117				DS834
41.31	NONE	ADJUST	BENT	1.117				DS1025
41.57	NONE		.590HO	.594/613				DS1026
41.85	1.000-18L		.590HO	.613				DS894
42.03	NONE		BENT	2/613				DS767
43.21	NONE		.590HO	2/613				DS917
43.27	NA		BENT	2/613				DS843
43.8	NONE		.590HO	.594/613				DS1140
43.84	.687-18L/R	SLEEVE	STR					DS826
44.29	NONE		STR	2/1.080				DS1075S
45.0	.875-18I	SLEEVE					2 7/8-14	DS1184
46.22	NONE		.590HO	.662/652HO				ES362S
46.5	.875-18R		.642HO	.575				DS884
46.79	M22-1.5R		2/552	.553				DS895
48.44	1.000-18L		.590HO	.613				DS1050
48.88	1.000-18L		.756/59	.594				DS768
49.31	1.000-18R		.756HO	.594				DS838
49.56	1.000-18R		STR	.662				DS837
49.828	1.00-18L	MALE	.593HO	.607				DS922
49.7	NONE		STR	2/11.95				DS1071
49.7	NONE		BENT					DS853
50.46	.875-18R			.675				ES854
50.75	1.000-18L			.675				DS915
50.9	1000-18R		BENT	.662				DS905
52.24	.875-18R		.531HO	.675				DS923
52.25	1.000-18L		HOLE	.675				DS841
54.24	1.25-16RI	FEMALE	1/.590HO	.613				DS893
56.5	NONE		2/13HO	2/11.35				DS1163
60.28	M14-1.5R		STR	.550				ES2450
70.0	M14-1.5RI	FEMALE	STR					ES2242R
73.4	NONE		2/14.85H	13.3/13.25				ES2171R
								DS1056